

EIA Screening decision proforma

Business details			
Business reference number	[REDACTED TEXT]	Name	[REDACTED TEXT]
Main location code	[REDACTED TEXT]	EIA ID	EIA

Proposed works details				
Location code	[REDACTED TEXT]	Type	Non improved / Semi natural / sensitive land	✓
			Restructuring above thresholds	
Location name	[REDACTED TEXT]		Drainage	
			Irrigation	
Description of proposed works	Field Identifier ND/20878/53417 (5.70 ha). Approx 2 ha of field infested with small pockets of gorse & rushes. Significant part of the gorse to be removed, cultivated and re-seeded in grass. Rush areas to be topped to encourage grass regrowth and suppress rush growth.			

Initial check (LPIS, PastMap etc)	comments
Are any significant earthworks proposed within 25m of a railway or classified road? (If yes refer customer to LA planning department, and reject screening application)	N/A
Does the project involve creating new tracks, or any other action that would require planning permission or approval from LA planning, or fall under Forestry EIA regulations? (if yes refer customer to LA planning or FS, and reject screening application)	N/A
Does the proposed work involve removing earth/rock from farm unit? (If yes refer customer to LA planning and SEPA, and reject screening application)	N/A
Does the proposed work involve infilling depressions or hollows with material not from the immediate area? (If yes consult with SEPA)	N/A
Check designations and cross compliance layers, and PastMap. Are there monuments close to the proposed works? (If yes consult with HES for scheduled monuments, and LA archaeologist for non-scheduled monuments)	N/A
Does the project involve any Semi-natural / uncultivated / sensitive areas, or potentially effect any habitat, landscape, or wildlife species (If yes, consult with NatureScot)	N/A
Does the project potentially effect the water environment, pose a pollution risk, or potentially have any other effects under SEPAs remit? (if yes consult with SEPA)	N/A

Check if proposals breach thresholds
N/A

Check EIA tracker for previous projects at location
Applicant has successfully applied for a screening decision previously for another site in 2014

Local Authority Planning consultation	
Our questions	N/A
Reply	N/A

Historic Environment Scotland / Local Authority Archaeologist consultation	
Our questions	N/A
Reply	N/A

NatureScot consultation	
Our questions	N/A
Reply	N/A

SEPA consultation	
Our questions	N/A
Reply	N/A

Scottish Forestry consultation	
Our questions	N/A
Reply	N/A

Outcome			
Full EIA required?	YES/NO		
Notes	This is a small scale restructuring project on agricultural land with work unlikely to have to have a significant effect on the environment. No EIA report is required and work can proceed.		
Deciding officer	[REDACTED TEXT]	Countersigning officer	[REDACTED TEXT]
Date	11/06/2019	Date	11/06/2019

Acronyms:

EIA Environmental Impact Assessment
 FS Forestry Scotland
 HES Historic Environment Scotland
 LA Local Authority
 LPIS Land Parcel Identification System
 SEPA Scottish Environmental Protection Agency