

Hard Standings for Troughs and Gateways

This is an old version of the page

This is an old version of the guidance.

Date published: 5 January, 2016

Date superseded: 11 March, 2016

To see recent changes to this guidance, check the bottom of this page.

Aim

The aim of this item is to protect water and soil quality by either relocating a gate where possible to a location of lesser risk or creating hard standings around gateways or other small discrete areas that are at high risk of erosion due to concentrated livestock or machinery movements.

This option can be used to fund:

- the relocation of a gate where this is practical
- the creation of a hardstanding base for a gateway
- the creation of a hardstanding base for a trough

Eligibility

Gateways, and small areas of land around gateways and troughs, which are at high risk of becoming significantly poached or eroded and that may pose a pollution risk to nearby watercourses are eligible.

Spatial targeting



[Map of target area – Hard Standings for Troughs and Gateways \(PDF, Size: 1.2 MB\)](https://www.ruralpayments.org/media/resources/Updated-targeting-map---Hard-standings-for-troughs-and-gateways-16-12-2015.pdf)

doc_external_url: <https://www.ruralpayments.org/media/resources/Updated-targeting-map---Hard-standings-for-troughs-and-gateways-16-12-2015.pdf> This item is available within the target area shown on this map.

You can check if this item is available on your holding [here](#).

Application requirements

Applicants must prepare a plan identifying the location and the nature of the risk factors of all sites that are to be entered under this option.

Requirements

Run-off from the gateway / hard standing must not directly enter a watercourse.

For relocating gates:

- gates must be stock proof
- gates must be either timber or galvanised steel, and must be at least 3000 millimetres wide
- gate posts (both the hanging and slam posts) must be either timber or galvanised steel
- if timber, gates and gateposts must be pressure-treated softwood or untreated hardwood
- posts must be firmly dug or driven into the ground and concreted in if required
- gates must swing freely
- wire, twine or rope are not acceptable as latches

Payment

You can claim:

- relocation of a gate: £230
- creation of a hardstanding: £12.50 per square metre

Inspections

The inspectors will check:

- the location and extent of any creation of a hard standing
- the location and number of gates; an invoice check may be required
- gates are stock proof
- gates are either timber or galvanised steel
- gate posts (both the hanging and slam posts) are either timber or galvanised steel
- if timber, gates and gateposts are pressure-treated softwood or untreated hardwood
- posts are firmly dug or driven into the ground and concreted in if required
- gates swing freely
- wire, twine or rope have not been used as latches

Additional guidance

[Supporting guidance is available for this item.](#)

Recent changes

Section	Change	Previous text	New text
Eligibility	Sentence removed.	The land must be within a diffuse pollution priority catchment or focus area, unless an endorsement has been obtained from the Scottish Environment Protection Agency.	-
Spatial targeting	Updated target area map.	-	-
	Sentence removed from beneath the PDF.	It may be possible to apply for this option outside this area where there is strong justification as endorsed by the Scottish Environment Protection Agency	-

Previous versions

[Previous versions of this page](#)

Download guidance

Click 'Download this page' to create a printer-friendly version of this guidance that you can save or print out.