

Rural Sustainable Drainage Systems – Swales

This is an old version of the page

Date published: 11 March, 2016

Date superseded: 17 January, 2017

To see recent changes to this guidance, [check the bottom of this page](#).

Aim

The aim of this item is to improve water quality by creating a strategically placed swale to slow, treat and control run-off that currently discharges direct to a watercourse or freshwater drain and to direct flow to a point (e.g. a pond) where it can be safely discharged.

Eligibility

Any land is eligible, provided that it meets all of the requirements set out below.

Spatial targeting



[Map of target area – Rural Sustainable Drainage Systems – Swales \(PDF, Size: 900.5 kB\)](#)

doc_external_url: https://www.ruralpayments.org/media/resources/Updated-targeting-map---Rural-Sustainable-Drainage-Systems-_-Swales-16-12-2015.pdf This item is available within the target area shown on this map.

You can check if this item is available on your holding [here](#).

Application requirements

You must prepare a plan which must include a map of the relevant fields / steading identifying the location of the rural sustainable drainage system feature.

You must also produce a diffuse pollution steading assessment.

Requirements

- only run-off which does not fall within the definition of slurry may be conveyed to a swale *
- run-off from pesticide handling or washdown areas must not be conveyed to a swale

* Unless the run-off is being conveyed to a constructed farm wetland designed in accordance with the Constructed Farm Wetland Design Manual – Scottish Environment Protection Agency / Northern Ireland Environment Agency – 2008.

Payment

You can claim £21.75 per square metre (excluding fencing).

Inspections

The inspectors will check:

- the location and extent of the swale
- that only run-off which does not fall within the definition of slurry is conveyed to a swale *
- that run-off from pesticide handling or wash-down areas is not conveyed to a swale

* Unless the run-off is being conveyed to a constructed farm wetland designed in accordance with the Constructed Farm Wetland Design Manual – Scottish Environment Protection Agency / Northern Ireland Environment Agency – 2008.

[Additional guidance](#)

[Supporting guidance is available for this item.](#)

[Recent changes](#)

Section	Change	Previous text	New text
Application requirements	Clarification of requirements.	-	You must also produce a diffuse pollution steading assessment.

[Previous versions](#)

[Previous versions of this page](#)

[Download guidance](#)

Click 'Download this page' to create a printer-friendly version of this guidance that you can save or print out.